created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1336814592 CLASSIFICATION: 12 05 13 Fabrics

PRODUCT DESCRIPTION: Woven upholstery and panel textile material.

# Section 1: Summary

# **Basic Method / Product Threshold**

### **CONTENT INVENTORY**

**Inventory Reporting Format** 

Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

**Threshold Level** 

C 100 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

Provided weight and role.

Screened

⊙ Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

## **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE** | HAZARD TYPE

3762 CROSSWEAVE [ POLYETHYLENE TEREPHTHALATE (PET) LT-

P1 | RES TITANIUM DIOXIDE BM-1 | CAN | END | MAM ANTIMONY

TRIOXIDE BM-1 | MUL | CAN | SKI | EYE | MAM | AQU ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1, BM-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

## **CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:**  **SCREENING DATE: 2024-02-06** PUBLISHED DATE: 2024-02-06 EXPIRY DATE: 2027-02-06

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

### **3762 CROSSWEAVE**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Antimony Oxide is a residual catalyst from polyester production.

OTHER PRODUCT NOTES:

# **POLYETHYLENE TEREPHTHALATE (PET)**

ID: 25038-59-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SC	REENING DATE:	2024-02-06 10:47:14
%: 95.0000 - 99.0000	GreenScreen: LT-P1	RC: PostC	NANO: <b>No</b> SU	JBSTANCE ROLE:	Textile component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
RES	AOEC - Asthmagens		Asthmagen (Rs) - se	ensitizer-induced	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No li	istings found on Ado	ditional Hazard Lists

SUBSTANCE NOTES: 66% Post-consumer recycled Polyester. Dyes and pigments used as colorants for polyester.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-02-06 10:47:14

%: 0.1000 - 0.9000

GreenScreen: BM-1

RC: None

NANO: No SUBSTANCE ROLE: Surface modifier

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
	LIGHT NAME AND COLUDE	NOTIFICATION
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
	Cradle to Cradle Products Innovation Institute	C2C Certified v4 Product Standard Restricted Substances
	Cradle to Cradle Products Innovation Institute	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)  Cradle to Cradle Products Innovation Institute	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products  C2C Certified v4 Product Standard Restricted Substances
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)  Cradle to Cradle Products Innovation Institute	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products  C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
RESTRICTED LIST  RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)  Cradle to Cradle Products Innovation Institute (C2CPII)  Cradle to Cradle Products Innovation Institute	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products  C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products  C2C Certified v4 Product Standard Restricted Substances
RESTRICTED LIST  RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)  Cradle to Cradle Products Innovation Institute (C2CPII)  Cradle to Cradle Products Innovation Institute	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products  C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Formulated Consumer Products  C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022

SUBSTANCE NOTES: Fiber delustrant

ANTIMONY TRIOXIDE				ID: <b>1309-64-4</b>
HAZARD DATA SOURCE: I	Pharos Chemical and Materials L	ibrary	HAZARD S	CREENING DATE: 2024-02-06 10:47:15
%: <b>0.0100 - 0.1000</b>	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Residual

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
AQU	GHS - Korea	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Korea	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

LIST NAME AND SOURCE	NOTIFICATION
Perkins+Will (P+W)	P&W - Precautionary List
	Precautionary list of substances recommended for avoidance
Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
	Certain Metals
Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
	Biological and Environmentally Released Materials
Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
	Children's Products
Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
	Cosmetics & Personal Care Products
	Perkins+Will (P+W)  Green Science Policy Institute (GSPI)  Cradle to Cradle Products Innovation Institute (C2CPII)  Cradle to Cradle Products Innovation Institute (C2CPII)

SUBSTANCE NOTES: Residual catalyst from polyester fiber production, 220 PPM

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

## **VOC EMISSIONS**

# CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Classrooms, Offices and all

indoor facilities.

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES: CDPH V1.2

ISSUE DATE: 2018-07-18 00:00:00 **EXPIRY DATE:** 

CERTIFIER OR LAB: Berkeley

Analytical

# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

Crossweave is a 100% Polyester (66% Post-consumer recycled) woven material.

Crossweave does not contain Fire retardants, antimicrobials, PFAS.

Cleaning code: WS

Crossweave meets CAL 117-2013 and ASTM E84, Class A Unadhered

### MANUFACTURER INFORMATION

MANUFACTURER: Designtex ADDRESS: 357 County Avenue

Secaucus, NJ 07094 COUNTRY: USA WEBSITE: www.designtex.com
CONTACT NAME: Adity Phadnis
TITLE: Product Compliance
PHONE: 201-917-7743

EMAIL: aphadnis@designtex.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### KFV

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

**NF** Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

## GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

**LT-1** List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

# **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

## Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

# **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

