

HPD UNIQUE IDENTIFIER: 32306
CLASSIFICATION: 09 72 19 Textile Wall Coverings
PRODUCT DESCRIPTION: Woven textile wallcovering

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format: Basic Method
Threshold Level: 1,000 ppm
Residuals/Impurities Evaluation: Completed
For all contents above the threshold, the manufacturer has: Characterized, Screened, Identified

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals.

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
BLINK [POLYETHYLENE TEREPHTHALATE (PET) LT-UNK
POLYETHYLENE LT-UNK STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE) LT-UNK BUTYL ACRYLATE LT-UNK | SKI | EYE NON HALOGENATE-PHOSPHORUS BASED FLAME RETARDANT Not Screened UNDISCLOSED NoGS]

Polyester/ Polyethylene woven material

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2021-06-23

PUBLISHED DATE: 2023-04-12

EXPIRY DATE: 2024-06-23

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

BLINK

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Polyester may have antimony as a catalyst. All substances exhausted during production.

OTHER PRODUCT NOTES:

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-23 6:19:40

%: 50.0000 - 52.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Polyester package-dyed yarn 0.1-0.5% by weight

POLYETHYLENE

ID: 9002-88-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-23 6:19:40

%: 42.0000 - 44.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Solution-dyed Polyethylene yarn.
Solution dye colorant 0.1-0.5% by weight

STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE)

ID: 9003-55-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-23 6:19:41

%: 2.0000 - 3.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Acrylic backing for dimensional stability		

BUTYL ACRYLATE

ID: 141-32-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-23 6:19:41		
%: 2.0000 - 3.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation		
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Acrylic Backing for dimensional stability. Added flame retardant- Non-halogenated, Phosphorus based flame retardant. Flame retardant 0.5-1% by weight of the product.				

NON HALOGENATE-PHOSPHORUS BASED FLAME RETARDANT

ID: Unknown

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: Not Screened		
%: 0.5000 - 0.9000	GreenScreen: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
		Hazard Screening not performed		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
		Additional Hazard Screening not performed		
SUBSTANCE NOTES: Proprietary Flame retardant. Non-Halogenated- Phosphorus based				

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-23 6:19:42		
%: 0.2500 - 0.3000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Antistain

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: C-6 short-chain PFC. PFOA and PFOS free

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	SCS Indoor Advantage Gold - Classroom & Office scenario	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2020-10-09	CERTIFIER OR LAB: SCS Global
APPLICABLE FACILITIES: Classrooms, offices, single-family residences, etc.	EXPIRY DATE:	Services
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: SCS indoor advantage Gold		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Polyester and Polyethylene blended wallcovering material. WS cleaning code, bleach cleanable material.
Flame Retardant acrylic backing.

MANUFACTURER INFORMATION

MANUFACTURER: Designtex
ADDRESS: 357 County Avenue
 Secaucus New Jersey 07094, United States
WEBSITE: www.designtex.com

CONTACT NAME: Adity Phadnis
TITLE: Product Compliance
PHONE: 201-917-7743
EMAIL: aphadnis@designtex.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.